


FIG. 1

FIG. 2




FIG. 3





FIG. 4

FIG.5

USER ID	PASSWORD
00001	pKi#1_*)
00002	sE=C\$(&1
.

FIG.6

USER ID	URL	RECEIVED DATA	SENDING DATA
00001	http://www.nec.co.jp/customer.html	RECEIVED DATA 1	SENDING DATA 1
00001	http://www.shop1.co.jp/buyer.html	RECEIVED DATA 2	SENDING DATA 2
00002	http://www.nec.co.jp/customer.html	RECEIVED DATA 3	SENDING DATA 3
00002	http://www.books.co.jp/buyer.html	RECEIVED DATA 4	SENDING DATA 4
.

FIG. 7

RECEIVED DATA 1

```

<HTML>
<BODY>
<FORM ACTION="/cgi-bin/mem_chk" METHOD="POST">
<table>
<tr><td>User ID</td><td><input type="text" name=uid></td></tr>
<tr><td>Password</td><td><input type="password" name=pwd></td></tr>
<tr><td><input type="submit" value="Submit"></td></tr>
</table>
</FORM>
</BODY>
</HTML>

```

SENDING DATA 1

```
uid=00001&pwd=n#ilce_9
```

FIG. 8

RECEIVED DATA 2

```

<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="member.xsl"?>
<member>
  <user_id></user_id>
  <password></password>
</member>

```

SENDING DATA 2

```

<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="member.xsl"?>
<member>
  <user_id>00001</user_id>
  <password>n#ilce</password>
</member>

```